

CVC314
CVS314W white cable



Coaxial Plug 9.5mm-Coaxial Jack 9.5mm
3C-2V Double shielded black coaxial cable

1.5m
2.5m
3.5m
5.0m
7.5m
10m


CVC315
CVS315W white cable



Coaxial Plug 9.5mm-Coaxial Plug 9.5mm
3C-2V Double shielded black coaxial cable

1.5m
2.5m
3.5m
5.0m
7.5m
10m


CVC324
CVS324W white cable



Coaxial Plug 9.5mm Right Angle -
Coaxial Plug 9.5mm Right Angle
3C-2V Double shielded black coaxial cable

1.5m
2.5m
3.5m
5.0m
7.5m
10m

CVC325
CVS325W white cable



Coaxial Plug 9.5mm Straight -
Coaxial Jack 9.5mm Right Angle
3C-2V Double shielded black coaxial cable

1.5m
2.5m
3.5m
5.0m
7.5m
10m


CVC326
CVS326W white cable



Coaxial Plug 9.5mm Right Angle-
Coaxial Jack 9.5mm Right Angle
3C-2V Double shielded black coaxial cable

1.5m
2.5m
3.5m
5.0m
7.5m
10m


CVC327
CVS327W white cable



Coaxial Plug 9.5mm Right Angle -
Coaxial Jack 9.5mm Straight
3C-2V Double shielded black coaxial cable


1.5m
2.5m
3.5m
5.0m
7.5m
10m

CVC314S
CVS314S-W white cable




Complete Screened (CS TYPE)
Coaxial Plug 9.5mm - Coaxial Jack 9.5mm
3C-2V Double shielded black coaxial cable

1.5m
2.5m
3.5m
5.0m
7.5m
10m




CVC315S
CVS315S-W white cable




Complete Screened (CS TYPE)
Coaxial Plug 9.5mm- Coaxial Plug 9.5mm
3C-2V Double shielded black coaxial cable

1.5m
2.5m
3.5m
5.0m
7.5m
10m




CVC324S
CVS324S-W white cable




Complete Screened (CS TYPE)
Coaxial Plug 9.5mm Right Angle -
Coaxial Plug 9.5mm Right Angle
3C-2V Double shielded black coaxial cable

1.5m
2.5m
3.5m
5.0m
7.5m
10m




CVC325S
CVS325S-W white cable




Complete Screened (CS TYPE)
Coaxial Plug 9.5mm Straight-
Coaxial Jack 9.5mm Right Angle
3C-2V Double shielded black coaxial cable

1.5m
2.5m
3.5m
5.0m
7.5m
10m




CVC326S
CVS326S-W white cable




Complete Screened (CS TYPE)
Coaxial Plug 9.5mm Right Angle -
Coaxial Jack 9.5mm Right Angle
3C-2V Double shielded black coaxial cable

1.5m
2.5m
3.5m
5.0m
7.5m
10m




CVC327S
CVS327S-W white cable



Complete Screened (CS TYPE)
Coaxial Plug 9.5mm Right Angle -
Coaxial Jack 9.5mm Straight
3C-2V Double shielded black coaxial cable

1.5m
2.5m
3.5m
5.0m
7.5m
10m



CVC314G
CVS314G-W white cable



Coaxial Plug 9.5mm-Coaxial Jack 9.5mm
3C-2V Double shielded black coaxial cable
Gold Plated contact

1.5m
2.5m
3.5m
5.0m
7.5m
10m


CVC315G
CVS315G-W white cable



Coaxial Plug 9.5mm-Coaxial Plug 9.5mm
3C-2V Double shielded black coaxial cable
Gold Plated contact

1.5m
2.5m
3.5m
5.0m
7.5m
10m


CVC324G
CVS324G-W white cable



Coaxial Plug 9.5mm Right Angle -
Coaxial Plug 9.5mm Right Angle
3C-2V Double shielded black coaxial cable
Gold Plated contact

1.5m
2.5m
3.5m
5.0m
7.5m
10m

CVC325G
CVS325G-W white cable



Coaxial Plug 9.5mm Straight -
Coaxial Jack 9.5mm Right Angle
3C-2V Double shielded black coaxial cable
Gold Plated contact

1.5m
2.5m
3.5m
5.0m
7.5m
10m


CVC326G
CVS326G-W white cable



Coaxial Plug 9.5mm Right Angle -
Coaxial Jack 9.5mm Right Angle
3C-2V Double shielded black coaxial cable
Gold Plated contact

1.5m
2.5m
3.5m
5.0m
7.5m
10m


CVC327G
CVS327G-W white cable



Coaxial Plug 9.5mm Right Angle -
Coaxial Jack 9.5mm Straight
3C-2V Double shielded black coaxial cable
Gold Plated contact


1.5m
2.5m
3.5m
5.0m
7.5m
10m

CVC314SG
CVS314SG-W white cable




Complete Screened (CS TYPE)
Coaxial Plug 9.5mm - Coaxial Jack 9.5mm
3C-2V Double shielded black coaxial cable

1.5m
2.5m
3.5m
5.0m
7.5m
10m




CVC315SG
CVS315SG-W white cable




Complete Screened (CS TYPE)
Coaxial Plug 9.5mm- Coaxial Plug 9.5mm
3C-2V Double shielded black coaxial cable

1.5m
2.5m
3.5m
5.0m
7.5m
10m




CVC324SG
CVS324SG-W white cable




Complete Screened (CS TYPE)
Coaxial Plug 9.5mm Right Angle -
Coaxial Plug 9.5mm Right Angle
3C-2V Double shielded black coaxial cable

1.5m
2.5m
3.5m
5.0m
7.5m
10m




CVC325SG
CVS325SG-W white cable




Complete Screened (CS TYPE)
Coaxial Plug 9.5mm Straight-
Coaxial Jack 9.5mm Right Angle
3C-2V Double shielded black coaxial cable

1.5m
2.5m
3.5m
5.0m
7.5m
10m




CVC326SG
CVS326SG-W white cable




Complete Screened (CS TYPE)
Coaxial Plug 9.5mm Right Angle -
Coaxial Jack 9.5mm Right Angle
3C-2V Double shielded black coaxial cable
Gold Plated contact

1.5m
2.5m
3.5m
5.0m
7.5m
10m




CVC327SG
CVS327SG-W white cable



Complete Screened (CS TYPE)
Coaxial Plug 9.5mm Right Angle -
Coaxial Jack 9.5mm Straight
3C-2V Double shielded black coaxial cable
Gold Plated contact

1.5m
2.5m
3.5m
5.0m
7.5m
10m



CVC506
CVC506-W white color



Coaxial Plug 9.5mm - Coaxial Jack 9.5mm
With Ferrite on both side, black coaxial cable
Inner conductor: 0.5mm
1.screen: Alum foil
2.screen: Braided 64/0.12mm alum wire

1.5m
2.5m
3.5m
5.0m
7.5m
10m

CVC508
CVC508-W white color



Coaxial Plug 9.5mm - Coaxial Jack 9.5mm
Gold Plated contact
With Ferrite on both side, black coaxial cable
Inner conductor: 0.5mm
1.screen: Alum foil
2.screen: Braided 64/0.12mm alum wire

1.5m
2.5m
3.5m
5.0m
7.5m
10m

CVC509
CVC509-W white color



Coaxial Plug 9.5mm - Coaxial Plug 9.5mm
With Ferrite on both side, black coaxial cable
Inner conductor: 0.5mm
1.screen: Alum foil
2.screen: Braided 64/0.12mm alum wire

1.5m
2.5m
3.5m
5.0m
7.5m
10m

CVC509G
CVC509G-W white color



Coaxial Plug 9.5mm - Coaxial Plug 9.5mm
With Ferrite on both side, black coaxial cable
Gold plated contact
Inner conductor: 0.5mm
1.screen: Alum foil
2.screen: Braided 64/0.12mm alum wire

1.5m
2.5m
3.5m
5.0m
7.5m
10m

CVC510
CVC510-W white color



Right Angle Coaxial Plug 9.5mm -
Right Angle Coaxial Jack 9.5mm
With Ferrite on both side, black coaxial cable
Inner conductor: 0.5mm
1.screen: Alum foil
2.screen: Braided 64/0.12mm alum wire

1.5m
2.5m
3.5m
5.0m
7.5m
10m


CVC510G
CVC510G-W white color



Right Angle Coaxial Plug 9.5mm -
Right Angel Coaxial Jack 9.5mm
Gold plated contact
With Ferrite on both side, black coaxial cable
Inner conductor: 0.5mm
1.screen: Alum foil
2.screen: Braided 64/0.12mm alum wire

1.5m
2.5m
3.5m
5.0m
7.5m
10m


CVC562



Coaxial Plug 9.5mm - Coaxial Plug 9.5mm
Metal sleeve Gold Plated contact,
With Ferrite on both side,
metallic colored coaxial cable
Inner conductor: 0.65mm
1.screen: Alum foil
2.screen: Braided 80/0.12mm copper clad steel

1.5m
2.5m
3.5m
5.0m
7.5m
10m

CVC564



Coaxial Plug 9.5mm - Coaxial Jack 9.5mm
Metal sleeve Gold Plated contact,
With Ferrite on both side,
metallic colored coaxial cable
Inner conductor: 0.65mm
1.screen: Alum foil
2.screen: Braided 80/0.12mm copper clad steel

1.5m
2.5m
3.5m
5.0m
7.5m
10m

CVC565



Coaxial F connection cable set
F plug - open end + Twisted on F plug +
weather protector

Inner conductor: CCS 1.10mm

1.screen: Alum foil

2.screen: Braided 64/0.12mm alum wire

10m
15m
20m
25m
30m
50m

CVC566



Coaxial F connection cable set
F plug - open end + Twisted on F plug +
weather protector

Inner conductor: CCS 1.10mm

1.screen: Alum foil

2.screen: Braided 48/0.12mm alum wire

10m
15m
20m
25m

CVC565



Coaxial F connection cable set
F plug - open end + Twisted on F plug +
weather protector

Inner conductor: CCS 1.00mm

1.screen: Alum foil

2.screen: Braided 32/0.12mm alum wire

10m
15m
20m
25m
30m

CVC566



Coaxial F connection cable set
F plug - open end + Twisted on F plug +
weather protector

Inner conductor: 0.64mm

1.screen: Alum foil

2.screen: Braided 32/0.12mm alum wire

10m
15m
20m
30m
50m

CVC567



Coaxial F connection cable set
For the connection from LNB to receiver,
double shielded open end +
2 x Twisted on F plugs +
weather protector

Inner conductor: CU 0.65

1.screen: Alum foil

2.screen: Braided 80/0.12mm alum wire

10m
15m
20m
25m
30m
50m

CVC568



Coaxial F connection cable set
For the connection from LNB to receiver,
double shielded
open end + 2 x Twisted on F plugs +
weather protector

Inner conductor: CU 1.13mm

1.screen: Alum foil

2.screen: Braided 80/0.12mm alum wire

10m
15m
20m
25m
30m
50m

CVC328
CVC328-W White color



Screwable F Plug - F Plug
3C-2V Double shielded coaxial cable, black color

1.5m
2.5m
3.5m
5.0m
7.5m
10m


CVC328G
CVC328G-W White color



Screwable F Plug - F Plug
Gold Plated contact
3C-2V Double shielded coaxial cable, black color


1.5m
2.5m
3.5m
5.0m
7.5m
10m

CVC472
CVC472-W White color




Complete Screened (CS Type)
Screwable F Plug - F Plug
Inner conductor: Solid copper 0.5mm
1. screen: Alum foil
2. screen: Braided 32/0.12mm alum wire

1.5m
2.5m
3.5m
5.0m
7.5m
10m




CVC460
CVC460-W White color




Complete Screened (CS Type)
Screwable F Plug - F Plug, Gold Plated contact
Inner conductor: Solid copper 0.5mm
1. screen: Alum foil
2. screen: Braided 32/0.12mm alum wire

1.5m
2.5m
3.5m
5.0m
7.5m
10m




CVC510
CVC510-W White color




Complete Screened (CS Type)
Screwable F Plug - F Plug with ferrite on both end
Inner conductor: Solid copper 1.0mm
1. screen: Alum foil
2. screen: Braided 64/0.12mm alum wire

1.5m
2.5m
3.5m
5.0m
7.5m
10m




CVC510G
CVC510G-W White color



Complete Screened (CS Type)
Screwable F Plug - F Plug with ferrite on both end
Gold Plated Contact
Inner conductor: Solid copper 1.0mm
1. screen: Alum foil
2. screen: Braided 64/0.12mm alum wire

1.5m
2.5m
3.5m
5.0m
7.5m
10m



CVC580



Through or under doors/window carpet
Screwable F Jack -
F Jack with white FLAT cable width 8mm

2.5m
5.0m
7.5m
10m


CVC596



Through or under doors/window carpet
Screwable F Plug -
F Plug with white FLAT cable width 8mm
Gold Plated contact


2.5m
5.0m
7.5m
10m

CVC422
CVC422-W White color




Complete Screened (CS Type)
Screwable F Plug - TV Plug
Inner conductor: Solid copper 0.65mm
1. screen: Alum foil
2. screen: Braided 48/0.12mm alum wire

1.5m
2.5m
3.5m
5.0m
7.5m
10m




CVC444
CVC444-W White color



Complete Screened (CS Type)
Screwable F Plug - TV Jack
Inner conductor: Solid copper 0.65mm
1. screen: Alum foil
2. screen: Braided 48/0.12mm alum wire

1.5m
2.5m
3.5m
5.0m
7.5m
10m



CVC513



Through or under doors/window carpet Adaptor
F Jack - F Jack

0.2m